

Theory and Practice (Cont.)
to the more essential problems in this field.

SOV/1389

TABLE OF CONTENTS:

From the Editors	3
Spitsyn, V.I., Corresponding Member, AS USSR. Opening Remarks	5
Vagramyan, A. T., D. N. Usachev, and G. I. Chervova. Cathode Polarization in the Electrodeposition of Chromium	8
Vagramyan, A.T., and D.N. Usachev. Investigating the Mechanism of Chromium Electrodoposition by Means of Tagged Atoms	27
Matulis, Yu. Yu., and M. A. Mitskus. Formation of Trivalent Chromium Ions and Their Role in the Chromium Plating Process	31
Levin, A. I., and A. I. Falicheva. Concentration Changes in Layers Near the Cathode in a Chromium Bath and the Mechanism of Chromium Electrodeposition	44
Syscoev, A.N., and N. T. Drobantseva. Comparative Investigation of Chromium-plating Processes in Standard and Combined-type Baths	61

Card 2/4

Theory and Practice (Cont.)

SOV/1389

Kurtepov, M. M. Corrosion of Chromium in Acid, Oxidizing Solutions	204
Chervova, G. I., and A. T. Vagramyan. Distribution of Metal on the Electrode During Chromium Electrodeposition	208
Shluger, M. A., and A. I. Lipin. Apparatus for Depositing Thick Chromium Platings on Parts	215
Semin, V. M. Chromium Plating in Self-regulating Electrolytes	224

AVAILABLE: Library of Congress

Card 4/4

TM/gmp
5-4-59

137-58-6-12951

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 6, p 252 (USSR)

AUTHORS: Vagramyan, A.T., Usachev, D.N., Chervova, G.I.

TITLE: Polarization of the Cathode During the Electrolytic Deposition
of Chromium (Polyarizatsiya katoda pri elektroosazhdennii
khroma)

PERIODICAL: V sb.: Teoriya i praktika elektrolit. khromirovaniya. Mos-
cow, AN SSSR, 1957, pp 8-26

ABSTRACT: The polarization of the cathode during electrolytic precipi-
tation was studied, and a quantitative study of the different re-
actions taking place on the electrode was made. Data in the
literature concerning the dependence of cathode polarization on
the cathode cd are contradictory. It is shown that during reduc-
tion of CrO₃ reproducible results may be obtained only with a
constant current intensity I in the circuit or with strictly con-
stant electrode potential \mathcal{E} : 1) when $I = \text{const}$, the polariza-
tion curve consists of two stable segments wherein the ascend-
ing and descending branches do not coincide; there is a sharply
defined hysteresis loop; 2) when $\mathcal{E} = \text{const}$, the polarization
curve has an anomalous shape; viz., if the polarization of the

Card 1/2

137-58-6-12951

Polarization of the Cathode (cont.)

electrode is raised, beginning at a certain value, the intensity of the current falls sharply; the ascending and the descending branches then coincide. It is shown that the reduction of Cr^{6+} to Cr^{3+} corresponds to the first segment of the curve. The rate of this reaction is dependent upon the diffusion of Cr^{6+} toward the cathode. On the last segment three reactions take place simultaneously: separation of H_2 , reduction of Cr^{6+} to Cr^{3+} and reduction to metallic Cr. Polarization curves for a constant ϵ value in the presence and in the absence of H_2SO_4 differ sharply from one another. The presence of H_2SO_4 favors the reduction of Cr^{6+} to Cr^{3+} on the first segment of the curve and sharply inhibits the reduction on the second segment. It is shown that upon an increase of concentration of H_2SO_4 the rate of reduction of H^+ decreases, whereas the rate of reduction of H_2CrO_4 to Cr increases sharply, and the rate of incomplete reduction increases steadily. Upon studying the changes in I with $\epsilon = \text{const}$ per unit of time it was established that a film forms on the cathode during electrolysis, which film is destroyed so soon as the current is switched on.

1. Chromium--Electrodeposition 2. Cathodes (Electrolytic cell) L.A.
--Polarization

Card 2/2

137-58-6-12945

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 6, p 251 (USSR)

AUTHORS: Chervova, G.I., Vagramyan, A.T.

TITLE: Distribution of Metal on the Electrode During the Electrolytic Deposition of Chromium (Raspredeleniye metalla na elektrode pri elektroosazhdennii khroma)

PERIODICAL: V sb.: Teoriya i praktika elektrolit. khromirovaniya. Moscow, AN SSSR, 1957, pp 208-214

ABSTRACT: Work on the determination of the relative character of the distribution of the metal on the cathode in existing Cr baths is described. The distribution of the metal was determined by weighing a cylindrical cathode assembled from 10 metal disks. It is shown that during electrolytic depositions of Cr a change in the content of electrolyte does not have any substantial effect on the uniformity of the distribution of metal on the cathode surface. The best results were obtained in a bath of the following composition (in g/liter): CrO₃ 250, H₂SO₄ 1.2, H₂SiF₆ 12. Contrary to the statement of Farber and Blyum it was shown that as cathode cd was increased from 10 to 50 amp/dm² in an

Card 1/2

137-58-6-12945

Distribution of Metal (cont.)

electrolyte containing 250 g/liter of CrO₃ and 2.5 g/liter of H₂SO₄ at 50°C the uniformity of the coating decreases. A certain improvement of distribution appears at small cathode cd but it is not significant.

P.S.

1. Chromium--Electrodeposition
2. Cathodes (Electrolytic cell)--Properties
3. Cathodes (Electrolytic cell)--Test results

Card 2/2

5-1310

24653
S/076/61/035/006/003/013
B127/B203

AUTHORS: Krasovskiy, A. I., and Chervova, G. I.

TITLE: Depolarization in the electrodeposition of zirconium on liquid and solid cathodes

PERIODICAL: Zhurnal fizicheskoy khimii, v. 35, no. 6, 1961, 1230 - 1234

X


TEXT: The object of the paper was a study of the change in chemical activity of Zr during interaction with other metals. The experiments were made in a specially designed furnace with graphite electrodes (Fig. 1). The method is based on measuring the I, E curves and determining the decomposition potential. The depolarization of Zr in its deposition from K_2ZrF_6 on Cu, Ni, Fe, Sn and Ag was measured. The reaction was conducted in argon atmosphere containing no O_2 , N, H_2 . The alloy was produced from chemically pure salts by fusing in HCl atmosphere. The anode used was a graphite crucible of 140cm^2 surface. The surface of the metal cathode was 2cm^2 . The reaction was initiated Card 1/5

Depolarization in the ...

SUBMITTED: September 3, 1959

Fig. 1: Vertical section through the furnace with graphite heater. Legend: (1) Comparison electrode, (2) cathode opening, (3) upper conical cover, (4) cooling chamber, (5) thermocouple, (6) graphite reflector, (7) copper busbar, (8) graphite heater, (9) firebrick lining, (10) graphite crucible, (11) graphite support for the crucible and for the inert-gas conduit, (12) lower conical cover, (13) outgoing nozzle, (14) anode terminal, (15) inlet nozzle.

24653
S/076/61/035/006/003/013
B127/B203



CHERVOVA, I. A., Physician

"Innervation of the Right Auricle." Sub 15 Jan 51, Second Moscow State
Medical Inst imeni I. V. Stalin.

Dissertations presented for science and engineering degrees in Moscow
during 1951.

SO: Sum. No. 480, 9 May 55.

CHEROVA, I.A.; SPERANSKIY, A.D., akademik.

Muscular structure of the sinal region of the right atrial auricle. Dokl.
AN SSSR 92 no.4:843-845 O '53. (MLR 6:9)

1. Akademiya nauk SSSR (for Speranskiy). 2. Vtoroy Moskovskiy gosudarstvennyy meditsinskiy institut im. I.V.Stalina (for Chrova).
(Heart) (Muscle)

CHERVOVA, I. A.

UCCR/ Medicine - Histology

Card 1/1 Pub. 22 - 40/45

Authors : Chervova, I. A.

Title : The nerve apparatus of the right auricle

Periodical : Dok. AN SSSR 103/2, 321-324, Jul 11, 1955

Abstract : Experiments were conducted to study the nerve apparatus of the right auricle and to explain the problem of whether the specific function of the right auricle is active or rests during the action of the nerve apparatus especially the one oriented in the sinus zone. Results are described. Five USSR references (1944-1954). Drawings.

Institution : Second Moscow State Medical Inst. im. I. V. Stalin

Presented by : Academician A. I. Abrikosov, February 27, 1955

CHERNOVA, I.A.

CHERNOVA, I.A.

Innervation of the left auricle of the heart. Dokl. AN SSSR 103
no.4:709-711 Ag'55. (MIRA 8:11)

1. Vtoroy moskovskiy gosudarstvennyy meditsinskiy institut im.
I.V.Stalina. Predstavлено akademikom A.I.Abrikosovym 27 II 1955.
(HEART, INNERVATION, LEFT AURICLE)

CHERVOVA, I.A.

Structural and functional changes in the heart caused by section
of the vagus nerve. Arkh.anat.gist.i embr. 39 no.7:13-22 J1 '60.
(MIRA 14:5)

1. Kafedra gistologii (zav. - chlen-korrespondent AN SSSR zasluzhennyj
deyatel' nauki prof. G.K.Khrushchov) II Moskovskogo meditsinskogo
instituta imeni N.I.Pirogova. (HEART—MUSCLE)
(VAGUS NERVE—SURGERY)

CHERVOVA, I.A.

Structural organization of the intracardiac nervous apparatus.
Arkh. anat., glist. i embr. 48 no.2:60-66 F '65. (MIRA 18:8)
1. Kafedra gistologii (zav. - doktor med.nauk prof. T.A. Grigor'yeva)
2-go Moskovskogo meditsinskogo instituta imeni N.I. Pirogova.

CHERNOVA, L.V.; VELIKOVSKIY, D.S.

Thickening properties of high polymers in lubricating oils.
Izv.vys.ucheb.zav.: neft' i gaz i no.10:77-82 '58.
(MIRA 12:4)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlen-
nosti imeni akademika I.M.Gubkina.
(Lubrication and lubricants)

SOV/123-59-15-59154

Translation from: Referativnyy zhurnal. Mashinostroyeniye, 1959, Nr 16, p 38 (USSR)

AUTHORS: Chervova, L.V., Velikovskiy, D.S.

TITLE: The Anti-Corrosion and Anti-Wear Properties of Light Industrial Oils

PERIODICAL: Novosti neft. tekhn. Neftepererabotka, 1958, Nr 2, pp. 7 - 9

ABSTRACT: Results of investigations of fractions of artemovskaya sagaydakskaya and archedinskaya petroleums are given, which were obtained from an atmospheric vacuum installation (temperature of evaporation approximately 250 to 325°C.) It was established that low-viscous oil fractions of crude oil of various origins may possess different lubricating and anti-corrosion properties and chemical stability. On the basis of the data obtained one can ground the selection of crude oil fractions when using them as lubricants or components, compound oils, for technical purposes. 3 tables and 1 chart.

P.V.M.

Card 1/1

CHERVOVA, L.V.; VELIKOVSKIY, D.S.

Effect of high-polymer additives on viscosity-temperature
properties of lubricating oils. Izv. vys. ucheb. zav.; neft i
gaz no.8:69-76 '58. (MIRA 11:10)

1. Moskovskiy neftyanoy institut im. akad. I.M. Gubkina.
(Lubrication and lubricants)

CHERVOVA, L. V., Candidate Tech Sci (diss) -- "Investigation of the viscosity properties of concentrated high-polymer oils". Moscow, 1959. 15 pp (Min Higher Educ USSR, Moscow Order of Labor Red Banner Inst of the Petroleum-Chem and Gas Industry im I. M. Gubkin), 150 copies (KL, No 23, 1959, 169)

CHERNOVA, L.V.; VELIKOVSKIY, D.S.

Effect of high-polymer thickening as related to the chemical composition of oil fractions undergoing thickening. Izv. vys. ucheb. zav.; neft' i gaz 2 no.4:85-92 '59. (MIRA 12:10)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti im. akad. I.M. Gubkina.
(Polymers)

KOCHKIN, D.A.; KOTRELEV, V.N.; KALININA, S.P.; KUZNETSOVA, G.I.; LAYNE,
L.V.; CHERNOVA, L.V.; BORISOVA, A.I.; BORISENKO, V.V.

Organotin monomers and polymers. Vysokom.sod. 1 no.10:
1507-1513 O '59. (MIRA 13:3)

1. Nauchno-issledovatel'skiy institut plasticheskikh mass.
(Tin organic compounds) (Polymers)

5.1100

77547
SOV/65-60-2-7/15

AUTHORS: Velikovskiy, D. S. (Deceased), Chervova, L. V.

TITLE: Effect of Thickening of Petroleum- and Liquid
Silicone Oil Mixtures With High-Polymer Additives

PERIODICAL: Khimiya i tekhnologiya topliv i masel, 1960,
Nr 2, pp 30-38 (USSR)

ABSTRACT: The viscosity of petroleum- and silicone oil mixtures was examined, after having added three different high polymers; i.e., poly-(ethylhexyl-methacrylate) with molecular weight 3,500; poly-(vinyl n-butyl ether) with molecular weight 4,000; and polisobutylene with molecular weight 8,800. The polymers were added in amounts of 10%, 12%, and 10% respectively. They proved to produce no anomalous viscosity of their own but to affect that which existed in the original oil mixture; viscosity depression of the latter was retained, although the absolute values of viscosity changed. Hence, the anomalous viscosity

Card 1/5

Effect of Thickening of Petroleum-
and Liquid Silicone Oil Mixtures With
High-Polymer Additives

77547
SOV/65-60-2-7/15

of petroleum- and silicone oil mixtures could be,
in the presence of high-polymer additives, evaluated
in terms of the difference between the viscosity
value calculated according to the Walter equation
and that measured experimentally. The viscosity


$$\text{depression factor } K = \frac{V_{\text{calculated}} - V_{\text{experimental}}}{V_{\text{calculated}}} \times 100$$

changes with the changing content of two oils in the
mixture (Fig. 2). Some high polymers alter the
viscosity of mixtures more than others. For example,
the viscosity depression of a petroleum oil & poly-
ethoxsiloxane mixture increases when polymethacrylate
is added, while polyisobutylene and poly-(vinyl n-
butyl ether) reduce the viscosity depression. The
latter two polymers increase the viscosity of oil

Card 2/5

Effect of Thickening of Petroleum-
and Liquid Silicone Oil Mixtures With
High-Polymer Additives

77547
SOV/65-60-2-7/15



A. % polyethylsiloxane concentration

B. % polymethylphenylsiloxane concentration

Card 3/5

See Card 4/5 for caption

Effect of Thickening of Petroleum-
and Liquid Silicone Oil Mixtures With
High-Polymer Additives

77547
SOV/65-60-2-7/15

See Card 3/5 for Fig.

Fig. 2. Dependence of the viscosity depression factor K of oil mixtures at 25° C, with or without thickening, on the content of polyethylsiloxane and polymethylphenylsiloxane liquids: (1,5) Mixtures thickened with polymethacrylate; (2,7) mixtures without thickening; (3) mixtures thickened with polyisobutylene; (4,6) mixtures thickened with poly-(vinyl n-butyl ether). Key to Fig. 2: (A) % polyethylsiloxane concentration; (B) % poly-methylphenyl +siloxane.

mixtures to a greater extent if the viscosity was originally lower, while the first polymer shows the opposite effect under similar conditions. The high polymers increase the viscosity of oil mixtures at a higher temperature to a lesser extent than at a lower. This is especially significant when polymethylphenylsiloxane

Card 4/5

Effect of Thickening of Petroleum-
and Liquid Silicone Oil Mixtures With
High-Polymer Additives

77547
Sov/65-60-2-7/19

content of oil mixtures is high. Thus, viscosity
temperature characteristic of petroleum- and
silicone oil mixtures may be highly improved by
adding suitable high polymers. There are 7 figures;
2 tables; and 3 Soviet references.

ASSOCIATION: Moscow Institute of Petroleum Economy and Planning imeni Gubkin (MINKh i GP imeni Gubkina).

Card 5/5

CHERNOVA, L.V.

Investigating the viscous properties of oils thickened with
high polymers. Trudy MINKIGP no. 32:92-115 '60. (MIRA 14:9)
(Lubrication and lubricants)

VELIKOVSKIY, D.S. [deceased]; CHERVOVA, L.V.

Effect of the chemical nature and structure of high polymer additives on the viscous properties of oils of various chemical compositions. Trudy MINKHIGP no.28:44-55 '60. (MIRA 14:4)
(Polymers) (Lubrication and lubricants)

S/081/61/000/024/071/086
B151/B101

AUTHOR: Chervova, L. V.

TITLE: Study of the viscosity characteristics of oils thickened with high-molecular polymers

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 24, 1961, 471, abstract 24M92 (Tr. Mosk. in-t neftekhim. i gaz. prom-sti, no. 32, 1960, 92 - 115)

TEXT: The change in viscosity over a range of temperature from 0 to 100° has been studied for oils (visc. 3 - 4 cst., 150°C) from Sagaydak, Artema Island and Archeda naphthas, fractions (F) of naphtheno-paraffinic, light aromatic and heavy aromatic hydrocarbons from these oils, mixtures of various F of one oil, mixtures of oils with polysiloxane fluids, mixtures of F with polysiloxane fluids, thickened with high polymers of F, polysiloxane fluids, and mixtures of oils with polysiloxane fluids. For the purpose of thickening, polyisobutylene, polyoctyl methacrylate, polyethylhexyl methacrylate, and vinipol were used. This investigation has shown that the most important factors affecting the viscosity characteristics of

Card 1/2

S/081/61/000/024/071/086
B151/B101

Study of the viscosity...

thickened oils are: the chemical composition of the oil; its viscosity and the change of this property with temperature; the thickening effect of the high polymer and its change with temperature. [Abstracter's note: Complete translation.]

Card 2/2

CHERYOVA, N.S.

VYALYKH, Pavel Nikolayevich; CHERNOVA, M.S., redaktor; LEVONEVSKAYA, L.G.,
tekhnicheskiy redactor.

[My work with high-frequency apparatus] Moi epyt raboty na vysokochastotnoi ustanovke. [Leningrad] Lenizdat, 1956. 53 p.
(Metals--Heat treatment) (MLRA 10:4)

CHERNOVSKAYA, M.S.

YASHIN, I.V. inzhener; CHERNOVSKAYA, M.S., redaktor; LEVONEVSKAYA, L.G., tekhnicheskiy redaktor.

[Technical seminar] Tekhnicheskii seminar. [Leningrad] Lenisdat,
1957, 39 p. (MLRA 10:4)

1. Nachal'nik elektrosvarochnogo uchastka Ishorskogo zavoda (for
Yashin).
(Electric welding)

CHERNOVA M. S.
IVANOV, Dmitriy Ivanovich; CHERNOVA, M.S., red.; LEVOMEVSKAYA, L.G.,
tekhn.red.

[Color photography] TSvetnoe fotografirovaniye. [Leningrad]
Lenizdat, 1957. 78 p.
(Color photography)

CHERVOVA, M.S.
GEL'TMAN, Ye.Z.; GNEZDIEVA, M.P.; CHERVOVA, M.S., red.; LIVSHITS, D.A.,
tekhn.red.

[Progressive methods of weavers] Progressivnye metody truda tkachei.
[Leningrad] Lenizdat, 1957. 86 p.
(Weaving)

Chervova, M.S.

PHASE I BOOK EXPLOITATION

123

Blyumberg, V.A.

Vysokoproizvoditel'naya rabota na tokarnom stanke (Highly Productive Machining on a Lathe) Lenizdat, Leningrad, 1957. 103 p. 5,000 copies printed.

EDITOR: Chervova, M.S.; Tech. Ed.: Levonevskaya, L.G.; Reviewer: Kucherenko, N.G.

PURPOSE: The brochure is designed for a wide circle of workers and engineering and technical personnel of machine-and instrument-building enterprises.

COVERAGE: The brochure reports on the latest machining technology achievements of lathe operator-innovators of Leningrad plants. Special emphasis is placed on the curtailment of time spent on auxiliary operations. A review is made of modern designs of chucks, rests, centers, and other machine-tool elements. A detailed description is presented of control methods for

Card 1/4

Highly Productive Machining on a Lathe	123
Ch. III. Improvement in Methods of Clamping Work Parts on a Lathe	38
6. Efficient methods of clamping shaft-type parts	38
7. Efficient methods of clamping of gear wheel-, bushing-, disc-, and ring-type parts	51
Ch. IV. Simplification of Methods for Dimensional Setup of Tools and of Methods for Controlling Lathe Operations	60
8. Attachments and devices for dimensional setup of tools	60
9. Attachments and devices for automatic control of given dimensions	66
10. Attachments for machining profile surfaces	74

Card 3/4

SERGEYEV, Mikhail Afanas'yevich; CHERVOVA, M.S., red.; SMIRNOV, P.S., tekhn.
red.

[High-production technology in fitting work] Vysokoproizvoditel'-
naya tekhnologiya slesarno-storochnykh rabot. [Leningrad] Lenizdat,
(MIRA 11:7)
1957. 121 p.
(Machine-shop practice)

BOL'SHAKOV, Sergey Anisimovich; CHERVOVA, M.S., red.; LIVSHITS, D.A.,
tekhn.red.

[Machining on lathes] Tokarnye raboty. Leningrad, Lenizdat,
1957. 197 p. (MIRA 13:3)
(Turning)

BAL'YAN, Khoren Vaganovich, kand.khim.nauk; CHERVOVA, M.S., red.;
ONOSHKO, N.G., tekhn.red.

[Wondrous transformations (preparation and use of acetylene)]
Chudesnye prevrashcheniya; o poluchenii i primenenii atsetilena.
Leningrad, Lenizdat, 1959. 55 p.
(Acetylene) (MIRA 13:1)

RAYKHENSHTEYN, Isaak Tsfan'yevich; PAKIDOV, P.A., nauchnyy red.;
CHERVOVA, M.S., red.; ONOSHKO, N.G., tekhn.red.

[Efficient machining on automatic lathes] Ratsional'noe
ispol'zovanie tokarnykh avtomatov. Leningrad, Lenizdat,
1959. 58 p.
(Lathes) (Automatic control)

(MIRA 13:1)

SAPOZHNIKOV, Mikhail Mikhaylovich; CHERNOVA, M.S., red.; LEVONEVSKAYA,
L.G., tekhn.red.

[Using plastics in constructing water-supply systems] Primenenie
plastmass pri stroitel'stve vodoprovodov. Leningrad, Lenizdat,
1959. 114 p.
(Pipe, Plastic)

ROZEN, Boris Yakovlevich; USHAKOV, S.N., retsenzent; BAL'YAN, Kh.V.,
kand.khim.nauk, retsenzent; CHERNOVA, M.S., red.; SMIRNOV, P.S.,
tekhn.red.

[Century of polymers] Vek polimerov. Leningrad. Lenizdat, 1959.
(MIRA 13:5)
246 p.

1. Chlen-korrespondent AN SSSR (for Ushakov).
(Polymers)

KRUPITSKIY, Boris Abramovich; CHERNOVA, N.S., red.; LEVONEVSKAYA, L.G.,
tekhn.red.

[Principles of heat treatment] Osnovy termicheskoi obrabotki.
Leningrad, Lenizdat, 1959. 250 p. (MIRA 12:12)
(Metals--Heat treatment) (Metallography)

KUCHER, A.M., kand.tekhn.nauk, obshchiy red.; CHERVOVA, M.S., red.;
TIKHONOVA, I.M., tekhn.red.

[Utilization of hidden potentials in the machinery industry;
experience of advanced plants] Ispol'zovanie rezervov mashino-
stroitel'nogo proizvodstva; iz opyta pereodovykh zavodov. Lenin-
grad, Lenizdat, 1959. 258 p. (MIRA 13:1)
(Machinery industry) (Efficiency, Industrial)

KUZNETSOV, Andrey Alekseyevich; CHERNOVA, M.S., red.; SHERMUSHEMKO, T.A.,
tekhn.red.

[New machinery and instruments] Novye mashiny i pribory. Lenin-
grad, Lenizdat, 1960. 58 p.
(MIRA 13:11)

1. Zamestitel' predsedatelya Leningradskogo sovnarkhoza (for
Kuznetsov).
(Machinery) (Instruments)

VAYNTRAUB, David Abramovich; CHERNOVA, M.S., red.; POL'SKAYA, E.G.,
tekhn.red.

[Principles of die stamping] Osnovy kholodnoi shtampovki.
Leningrad, Lenisdat, 1960. 218 p.

(MIRA 14:4)

(Sheet-metal work)

SAPOZHNIKOV, Mikhail Mikhaylovich; CHERVOVA, M.S., red.; KOTLYAKOVA,
O.I., tekhn. red.

[Principles of plumbing] Osnovy slesarno-vodoprovodnogo dela.
Leningrad, Lenizdat, 1963. 254 p. (MIRA 16:5)
(Plumbing)

DRUZHININ, V.A.; VOLOSATOV, V.A.; CHERNOVA, M.S., red.; FRESNOVA,
V.A., tekhn. red.

[Cutter-presser] Rezchik-pressovshchik. Leningrad, Len-
izdat, 1963. 144 p. (MIRA 16:12)
(Shears (Machine tools))

KHILINER, Pavel Denisovich; BAKHANOVICH, Aleksandr Ivanovich;
CHIRKOVA, M.S., red.

[Mechanization and automation in Leningrad enterprises; from
work experience] Mekhanizatsiya i avtomatizatsiya na lenin-
gradskikh predpriyatiakh; iz opyta raboty. Leningrad, Len-
izdat, 1964. 170 p. (MIRA 18:4)

CHERNOVA, V.I.

VINNIK, L.A., kandidat meditsinskikh nauk; CHERNOVA, V.I.

Functional state of the reticulo-endothelial system in tissue
therapy. Klin.med. 33 no.6:86 Je '55 (MLRA 8:12)

1. Iz kafedry fakul'tetskoy terapii (zav.-prof. D.G.Oystrakh)
Astrakhanskogo meditsinskogo instituta.
(TISSUE EXTRACTS) (RETICULO-ENDOTHELIAL SYSTEM)

CHERVYACHENKO, V.A.; PONOMARENKO, I.N.

Aerosynoptic conditions for stormy winds in the southeastern regions
of the Northern Caucasus. Trudy Ukr.NIGMI no.7:167-182 '57.
(Caucasus, Northern--Winds) (MIRA 11:4)

TREGUBOVA, A.S., st. inzh.; KARASENKO, A.P., inzh.; MARKOVA, A.V.,
st. tekhnik; NIKOLAYEVA, Z.A., st. tekhnik; KOVTUNENKO,
Zh.I., tekhnik; PENKASS, Z.F., tekhnik; STOYAN, T.T.,
tekhnik; CHERVYACHENKO, V.A., tekhnik; YEFREMOV, N.V., red.;
DEREVYANKO, G.S., tekhn. red.

[Manual on the supply of moisture available to basic farm
crops in the Ukraine] Spravochnik po zapasam produktivnoi
vlagi pod osnovnym sel'skokhozyaystvennymi kul'turami na
Ukraine. Kiev, Gossel'khozizdat USSR, 1963. 547 p.
(MIRA 16:12)

1. Otdel agrometeorologii Kiyevskoy gidrometeorologicheskoy
observatorii (for all except Yefremov, Derevyanko).
(Ukraine—Soil moisture)

MYASNIKOV, A.A., kand.tekhn.nauk; CHERVYAK, I.O., gornyy inzh.;
BORONIN, Yu.B., gornyy tekhnik

Investigating the aerodynamic resistance of workings in
hydraulic mines. Ugol' ukr. 6 no.11:25-26 N '62. (MIRA 15:12)

1. Vostochnyy nauchno-issledovatel'skiy institut po bezopasnosti
rabot v gornoj promyshlennosti.
(Hydraulic mining)

I.C.
MYASNIKOV, A.A., kand. tekhn. nauk; CHERVYAK, O.I., inzh.

Characteristics of the climatic conditions of hydraulic
sections of Kuznetsk Basin mines. Nauch. soob. VostNII
(MIRA 17:5)
no.3:3-12 '63.

YEGOROV, Sergey Vasil'yevich; CHERVIAKOV, Arkadiy Grigor'yevich; BRUSHTEYN,
B.Ye., kandidat tekhnicheskikh nauk, redaktor; MOROZOV, A.P.,
kandidat tekhnicheskikh nauk, redaktor; BELITSKAYA, A.M., izdatel'skiy
redaktor; GLADIKH, N.N., tekhnicheskiy redaktor

[Laboratory manual for the course "Metal cutting and cutting tools."]
Rukovodstvo k laboratornym rabotam po kursu "Rezanie metallov i
rezushchii instrument." Pod red. B.B.Brushtaina. Moskva, Gos. izd-vo
obor. promyshl., 1957. 91 p.
(Metal cutting) (Cutting tools)

(MIRA 10:1)

CHERVYAKOV, A.G.

25(1)

PHASE I BOOK EXPLOITATION

SOV/1301

Krivoukhov, Vasilii Aleksandrovich, Boris Yefimovich Brushteyn,
Sergey Vasil'yevich Yegorov, Arkadiy Grigor'yevich Chervyakov,
Nikolay Alekseyevich Chelobov (Deceased), Mikhail Antonovich Mya-
kishev, Vladimir Georgiyevich Bovin, Petr Grigor'yevich Petrukha,
and Petr Dmitriyevich Bespakhotnyy

Obrabotka metallov rezaniyem (Metal Cutting) Moscow, Oborongiz,
1958. 627 p. 20,000 copies printed.

Reviewer: Klushin, M.I.; Ed. (Title page): Krivoukhov, V.A.; Ed.
(Inside book): Arshinov, V.A., Candidate of Technical Sciences,
Docent; Ed. of Publishing House: Suvorova, I.A.; Tech. Ed.:
Rozhin, V.P.; Managing Ed.: Sokolov, A.I., Engineer.

PURPOSE: This textbook is for aeronautical vuzes giving a course on
metal cutting.

COVERAGE: The book discusses in a concise form the physical funda-
mentals of metal-cutting processes using various types of tools
and emphasizing the special features required for the aviation in-
dustry. A description and the basic designs of standard metal-cut-

Card 1/15

Metal Cutting

SOV/1301

ting tools are presented and their construction, mechanisms and automation are examined. In compiling the book results of investigations carried out in scientific research institutes of the machine-building industry and data from foreign literature were used. There are 66 references, all Soviet. No personalities are mentioned.

TABLE OF CONTENTS:

Introduction	3
SECTION I. METAL CUTTING	
Ch. I. Basic Concepts of Elements and Geometry of Turning Cutting [Single-Point] Tools	5
1. Elements of the turning cutting tool	5
2. Surfaces and planes of coordinates for determining the angles of a cutting tool	7
3. Angles of the cutting tool	8
4. Purpose of tool angles	9
Card 2/15	

Metal Cutting

SOV/1301

Ch. II. Elements of Cutting in Turning	15
5. Elements of the cutting regime	16
6. Geometry of the removed layer of material in turning	18
Ch. III. Materials Used for Making Cutting Tools	21
7. General information on tool materials	21
8. Carbon tool steels	22
9. Alloyed tool steels	22
10. High-speed steels	23
11. Carbide alloys	24
12. Ceramic tool materials	26
Ch. IV. Physical Bases of the Metal-cutting Process	27
13. Physical phenomena in metal cutting	27
14. Mechanism of the deformation process	29
15. Chip forming and types of chips	34
16. Heap forming in the cutting process	40
17. Evaluation of plastic deformation in the removed layer of metal and the deforming force	42
18. Deformation under a machined surface and state of the surface layer of metal in cutting	49

Card 3/15

Metal Cutting

SOV/1301

19. System of forces in the cutting process and equation for work of cutting	53
20. Thermal phenomena in metal cutting	55
21. Methods of measuring the temperature of cutting	58
22. Effect of various factors on the temperature of cutting	62
23. Effect of lubricating coolants on the cutting process	64
24. Vibrations in metal cutting	66
Ch. V. Resistance to Cutting in Turning	68
25. Cutting forces in turning	72
26. Equipment for measurement of cutting forces	80
27. Effect of various factors on cutting forces in turning	86
28. Formulas for computation of cutting forces	87
29. Wear of cutting tools	
Ch. VI. Cutting Speed Permitted by the Cutting Properties of Cutting Tools	92
30. Effect of various factors on cutting speed permitted by cutting tools	92
31. The general form of the equation for determining the cutting speed permitted by a cutting tool	103
32. Smoothness of the machined surface	104

Card 4/15

Metal Cutting

SOV/1301

33. Ways for increasing the productivity in turning	106
34. Determining the elements of cutting regimes for work on lathes	110
Ch. VII. Planing, Shaping and Slotting	
35. Elements of the cutting regime in planing and shaping	111
36. Forces acting in planing, shaping and slotting	112
37. Finish planing and shaping	113
38. Determining the elements of cutting regimes in planing and shaping	114
	115
Ch. VIII. Drilling	
39. Parts and elements of a twist drill	116
40. Geometric elements of a twist drill	117
41. Elements of the cutting regime in drilling	118
42. The chip forming process in drilling	121
43. Forces acting in drilling	123
44. Effect of various factors on torque and axial force	124
45. Wear of drills and dulling criterion	126
46. Effect of various factors on cutting speed in drilling	128
47. Determining elements of cutting regime in drilling	129
	133

Card 5/15

Metal Cutting

SOV/1301

76. Tools for high-speed turning	197
77. Vibration dampers	201
78. Form cutting tools	202
79. Block-type cutters	209
80. Special cutting tools	210
81. Planing, shaping and slotting cutting tools	211
	214
Ch. XIII. Drills	214
82. Gun drills	218
83. Twist drills	220
84. Core drills	222
85. Carbide [tipped] drills	223
	223
Ch. XIV. Countersinks	223
86. Twist countersinks	224
87. Countersinks for blind holes	225
88. Built-up countersinks	225
89. Carbide [tipped] countersinks	226
	226
Ch. XV. Reamers	
90. Construction of reamers	

Card 8/15

Metal Cutting

SOV/1301

108. Side milling cutters	259
109. Angle milling cutters	261
110. Formed milling cutters	263
Ch. XVIII. Toothed Gear Cutting Tools	264
111. Disc and end gear milling cutters	265
112. Gear hobs	267
113. Spline hobs	276
114. Generating rack cutter	281
115. Generating gear cutter	287
116. Tools for bevel gear generation	295
117. Rotary shaving cutters	296
Ch. XIX. Thread Cutting Tools	299
118. Single-point tools and chasers	299
119. Thread milling cutters	303
120. Taps	305
121. Tolerances for tap threads	310
122. Threading dies	311
123. Threading die heads	312
124. High-speed threading die heads [with inserted carbide blades]	315

Card 10/15

SOV/1301

Metal Cutting

125.	Flat and cylindrical thread rolling dies	318
Ch. XX.	Special Methods for Hardening Cutting Tools	320
126.	Chromium plating	320
127.	Cyaniding	321
128.	Electroerosion surface hardening	322

SECTION III. METAL CUTTING MACHINE TOOLS

Ch. XXI.	General Information on Machine Tools	324
129.	Classification and numbering of machine tools	324
130.	Motions in machine tools and kinematic diagrams	328
131.	Machine tool drives	331
132.	R.P.M. series of spindles	333
133.	Graphic-analytical method for the kinematic calculation of gear boxes	336
134.	Determination of number of teeth of gears in gear boxes	338
		339
Ch. XXII.	Lathes	340
135.	Model 1A62 screw cutting lathe	350
136.	Setting up lathes for various operations	

Card 11/15

Metal Cutting**SOV/1301**

137. Copying devices	354
138. Model 1K62 screw cutting lathe	358
139. Model 1M36 turret lathe	363
140. Model 1365 turret lathe	368
141. Model 1336M turret lathe	371
142. Model 1136 automatic turret lathe	375
143. Design of tooling setup and cams for single-spindle model 1136 automatic lathe	385
144. Model 1290 four-spindle automatic lathe	392
145. Model 1290 multiple-tool semi-automatic lathe	400
146. Model 1722 copying semi-automatic lathe	404
147. Model MK5 ⁴ vertical type two-spindle copying semi-automatic lathe	407
Ch. XXIII. Drilling Machines	412
148. Vertical single-spindle drilling machines	413
149. Radial-drilling machines	418
150. Drilling and boring machines	422
151. Jig boring machine	
152. Multiple-spindle drilling machines	430

Card 12/15

Metal Cutting**SOV/1301**

Ch. XXIV. Milling Machines	433
153. Knee-and-column milling machines	433
154. Copying milling machines	453
155. Plane-milling machine	472
156. Continuous milling machines	475
157. Column-type milling machines	481
Ch. XXV. Planing, Shaping, Slotting and Broaching Machines	483
158. Planing machines	483
159. Shaping machines	485
160. Slotting machines	490
161. Broaching machines	491
Ch. XXVI. Thread Cutting Machines	495
162. General information	495
163. Model 561 universal thread milling machine	495
164. Model 5964 thread rolling machine	502
165. Model 5962 thread rolling machine	505
Ch. XXVII. Grinding Machines	506
166. Purpose and classification of grinders	506
Card 13/15	

SOV/1301

Metal Cutting

167. Model 3153P high-speed cylindrical grinder	508
168. Surface grinders	515
169. Model 383 vertical, single-spindle honing machine	523
170. Model KhSh116 semi-automatic contour grinder	526

Ch. XXVIII. Gear Cutting Machines

171. Model 5A12 generating gear shaper	531
172. Model 5B32 gear hobbing machine	532
173. High-productivity methods of cutting spur gears	539
174. Model 526 gear planer for straight bevel gear cutting	549
175. Model 528 for cutting spiral gears	552
176. Model 5832 gear grinding machines	567
177. Gear finishing machines	575
	580

Ch. XXIX. Automation of Gear Cutting Machines

178. Unit head machines	585
179. Type A291-306 automated line	585
180. Type 2A795-2A799 automated line	594
181. Automated plant for automobile pistons	597
182. Program control of metal cutting machine tools	599
	602

Card 14/15

Metal Cutting

SOV/1301

Ch. XXX. Modernization of Machine Tools

611

Bibliography

620

AVAILABLE: Library of Congress

GO/sfm
3-26-59

Card 15/15

Machinability of Heat-Resistant (Cont.)

SOV/5788

COVERAGE: Basic conditions for improving the machinability of heat-resistant and titanium alloys are examined. Results of investigations on the effect of various factors (e. g., tool geometry, single-point tool wear, cutting regimes, lubricating coolants, heat treatment) on the machinability of alloys are presented. Recommendations are given for the selection of rational cutting regimes, effective lubricating coolants, and preliminary heat treatment. No personalities are mentioned. There are 91 references: 61 Soviet, and 30 English.

TABLE OF CONTENTS [Abridged]:

Ch. I. General Concepts on Heat-Resistant and Titanium Alloys	3
Ch. II. Deformation of Metal in the Removed Layer	12
Ch. III. Soviet and Non-Soviet Practices in Machining Heat-Resistant and Titanium Alloys	35

Card 2/6
2

YEGOROV, Sergey Vasil'yevich, kand. tekhn.nauk, dots.; CHERVYAKOV,
Arkadiy Grigor'yevich, kand. tekhn. nauk, dots. Prinimal
uchastiye BESPAKHOTNYY, P.D., kand. tekhn. nauk; SMIRNOV,
B.V., red.

[Metal cutting and metal-cutting tools; laboratory work] Re-
zanie metallov i rezhushchii instrument; laboratornyi prakti-
zanie. Moskva, Gos.izd-vo "Vysshiaia shkola," 1963. 196 p.
(MIRA 17:4)

CHERVYAKOV, A. I.

23285. Natsional'noye Ograzhdeniye Dlya Psikhrometrov. Tekstil'.
Prom - St', 1949, No. 6, c. 39-40

SO: LETOPIS' NO. 31, 1949

CHERVYAKOV, A. I.

64


RECOMMENDATIONS AND CONCLUDING REMARKS

The cutting properties of tool steels. A characteristic feature of the *Vestak Metallplast* IR. No. 3, 71 S10HS1, is its ability to hold an edge. Fifteen different high-speed steels were investigated as to their cutting speed and their hardness are also reported. Heat-treatment, fine structure, performance of a steel contg. 0.50% C, 4.25% Cr, 17.30% W, and 0.26% V during 20 min., cutting on different steels was examined by that of two Cr-W-C steels, one contg. 0.65% C, 4.54% Cr, 18.5% W, 17% V, 10.2% Cu, and 0.6% Mo and the other contg. 0.74% C, 4.35% Cr, 17.42% W, 0.61% V, 14.4% Cu, and 0.6% Mo. The 2nd steel gave the best performance. The highest values of output with this steel were obtained when the cutting was deep (thick turnings). The hardening temp. of the Cr steels was 1200-1340°; the annealing temp., 150°. These steels

having a martensite structure permeated with carbide possessed a Rockwell hardness of 63.5-65.5. M. G. M.

ASME 11A METALLURGICAL LITERATURE CLASSIFICATION

• 1948-03-194



CHERVYAKOV, A. N.

CHERVYAKOV, A.N.; MIRKIN, I.L., doktor tekhnicheskikh nauk, professor,
redaktor; SHAROPIN, V.D., redaktor; ATTOPOVICH, M.K., tekhnicheskiy
redaktor.

[Metallographic identification of impurities in steel] Metallogra-
ficheskoe opredelenie vkluchenii v stali. Pod red. I.L.Mirkina.
Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po chernoi i tsvetnoi me-
tallurgii, 1953. 116 p.
(MLRA 7:8)
(Steel--Metallurgy)

Micrographic investigation of steel in a magnetic field
for identification of black metal. This investigation was conducted
by Dr. G. S. Dill and Dr. J. C. H. Strohmeier. The results of this
investigation were described in a report dated 10 January 1945.

Approved for Release by CIA Library

CHERVYAKOV, Aleksandr Nikolayevich; KISELEVA, Sof'ya Aleksandrovna;
RYL'NIKOVA, Alla Grigor'yevna; FOMIN, N.V., red.;
BERLIN, Ye.N., red. izd-va; VAYNSHTEYN, Ye.B., tekhn. red.

[Metallographic determination of inclusions in steel] Metal-
lograficheskoe opredelenie vkluchenii v stali. Izd.2., perer.
i dop. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po chernoi
i tsvetnoi metallurgii, 1962. 248 p. (MIRA 15:2)
(Steel--Defects) (Metallography)

CHERVYAKOV, A. P. --

"The Effect of the Temperature of Postharvesting Maturation of Tomatoes on
The Varietal Quality of the Seeds." Cand Biol Sci, Belorussian State U imeni
V. I. Lenin, 26 Oct 54) (SB, 16 Oct 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher
Educational Institutions (10)

SO: Sum. No. 481, 5 May 55

Cheevyakov. A.P.

8/129/60/000/06/019/022
EO73/E535

AUTHOR: Mints, R. I., Candidate of Technical Sciences
 TITLE: All Union Scientific-Technical Seminar on Improving
 the Cavitation Resistance of Components, Sverdlovsk
 PERIODICAL: Metallovedeniye i termicheskaya obrabotka metallov,
 1960, Nr 6, pp 38-60 (USSR)
 ABSTRACT: The seminar was held at the initiative of the Problems
 Laboratory for Metallurgy at the Ural Polytechnical
 Institute imeni S. M. Kirov Jointly with other
 organizations. In the seminar representatives of
 research establishments and works from Sverdlovsk,
 Perm', Chelyabinsk, Barnaul, Gor'kiy, Odessa,
 Leningrad, Yerevan, Marmanak, Khar'kov and other
 places participated. This report gives brief summaries
 of the following papers which were read:
 G. D. Ter-Aboyan, Candidate of Technical Sciences,
 "Cavitation failures in hydraulic turbines";
 L. I. Ponaraskiy, Engineer, "Cavitation in hydraulic
 turbines"; M. I. Kurasovich, Engineer, "Cavitation
 failures in runners of centrifugal pumps"; Marinin, A. A.,
 Engineer, "Cavitation failures in marine propellers";

Card 1/2

N. N. Ivanchenko, Candidate of Technical Sciences,
 "Cavitation failures in diesel engines"; A. F. Chernyakov,
 Engineer, "Increase of the cavitation-erosion stability
 of jacket and cylinder liners of the diesel engines D6
 and D12"; I. M. Bogachov, Doctor of Technical Sciences,
 "Mechanism of the cavitation failure of metallic alloys
 and principle for the selection of such alloys";
 R. I. Mints, Candidate of Technical Sciences, "Combating
 cavitation failure by using surface-active additions to
 the liquid phase of closed systems"; R. Sh. Shklyar,
 Candidate of Technical Sciences, D. D. Slynarskova, Engineer,
 and N. N. Syutkin, Engineer, "Structural changes in the
 initial stages of cavitation failure"; T. M. Petukhova,
 Engineer, "Influence of the structure on the resistance
 to cavitation of bronze"; V. V. Gavrilov, Candidate of
 Technical Sciences and D. N. Bozshutkin, Engineer,
 "Cavitation erosion of metals, thermal and mechanical
 effects in the cavitation zone".

✓ (P)

CHERVYAKOV, D.K., prof.; TSAREV, S.G., dotsent; KREPYSHEV, Ye.M., dotsent;
LOKTIONOV, V.N., mladshiy nauchnyy sotrudnik

Effect of chloracetophos, thiophos, and chlorophos on the development
of the larvae of the warble fly in cattle. Uch. zap. KVI 89:117-130
'62.

Use of phosphorus organic preparations for the treatment of tri-
chophytosis in animals. Ibid.:131-139

1. Laboratoriya khimioterapii (zav. - prof. D.K.Chervyakov)
Kazanskogo veterinarnogo instituta. (MIRA 18:8)

CHERVYAKOV, D.K., prof.; VISHKER, A.S., dotsent

Basis for the use of medicinal substances in rumen diseases.
Veterinariia 40 no.3:30-35 Mr '63. (MIRA 17:1)

1. Krasnanskiy veterinarnyy institut.

Name: CHERVYAKOV, Dmitriy Kirillovich

Dissertation: Study of the Medicinal Plants of Buryat-Mongolia
used in Gastro-Intestinal Diseases

Degreet: Doc Vet Sci

Affiliation: Buryat-Mongol Zoovet Acad

Defense Date, Place: 18 May 56, Council of Moscow Vet Acad

Certification Date: 17 Nov 56

Source: BNVO 6/57

CHERVYAKOV, F. I.

7681. CHERVYAKOV, F. I. -- Katalog detaley shveynykh mashin 34 klassa I Klassa 34A
Podol'skogo mekhanicheskogo zavoda i meni M. I. kalinina. M. Gizlegprom,
1954.86, (6) s. s. ill. 2 L. chert. 20 sm. (M-Vo. Tovarov shipokogo potrebleniya.
SSSR. Tekhn. upr. otd. tekhn. informatsii) 1.500 ekz. bespl. na oborote
tit. L. sost: F. I. Cheruyakov. -- (55-4208)

685.31.05(085)

SO: Knizhnaya Letopsis', Vol. 7, 1955

CHERVYAKOV, Fedor Ivanovich; SUMAROKOV, Nikolay Vasil'yevich; RUSAKOV, S.I.,
kand.tekhn.nauk, retsenzent; MARAKUSHEV, Ye.A., kand.tekhn.nauk,
red.; KOCHETOVA, G.P., nauchnyy red.; EL'KIND, V.D., tekhn.red.

[Sewing machines] Shveiniye mashiny. Moskva, Gos.nauchno-tekhn.
izd-vo mashinostroit. lit-ry, 1957. 270 p. (MIRA 11:5)
(Sewing machines)

CHERVYAKOV, V.I. (Podol'sk)

What causes the untwisting of the upper thread on sewing machines.
Shvein, prom. no. 5:24-30 S-0 '60. (MIRA 13:12)
(Sewing machines)

CHERVYAKOV, Fedor Ivanovich; KURSKAYA, Yevgeniya Petrovna; BYKASOVA,
G.I., inzh., red.; VASIL'YEV, Yu.A., red. izd-va;
BELOGUROVA, I.A., tekhn. red.

[Trends in the design of new sewing machines; experience of the
Podol'sk Machinery Plant named after Kalinin] Napravlenie v
konstruirovaniu novykh shveinykh mashin; opyt Podol'skogo me-
khanicheskogo zavoda im. Kalinina. Stenogramma lektsii, pro-
chitannoi v LDNTP na seminare dlia rabotnikov shveinoi pro-
myshlennosti. Leningrad, 1961. 43 p. (MIRA 15:3)
(Leningrad—Sewing machines)

CHERVYAKOV, Fedor Ivanovich; SUMAROKOV, Nikolay Vasil'yevich; RUSAKOV,
S.I., kand. tekhn. nauk, retsenzent; TOIROVA, A.L., red. izd-
va; CHERNOVA, Z.I., tekhn. red.; UVAROVA, A.F., tekhn. red.

[Sewing machines] Shveimye mashiny. 2. izd. perer. i dop.
Moskva, Mashgiz, 1962. 467 p. (MIRA 15:3)
(Sewing machines)

CHERVYAKOV, F.I. (Podol'sk)

Comparative testing of right- and left-hand twist yarn. Shvein.
prom. no.115-16 Ja-F '62. (MIRA 15:4)
(Yarn—Testing)

KOMISSAROV, A.I., kand. tekhn. nauk, dotsent; STOROZHEV, V.V., assistent;
CHERVYAKOV, F.I., aspirant

Effect of the structure of thread interlacing on the quality of
the shuttle stitch. Nauch. trudy MTILP no.27:198-204 '63.
(MIRA 17:11)

1. Kafedra mashin i apparatov Moskovskogo tekhnologicheskogo
instituta legkoy promyshlennosti.

CHERVYAKOV, F.Ya.; RYBARZH, A.A. [deceased] redaktor; ASTAKHOV, A.V., re-daktor; KUROVINKOVA, Z.A., tekhnicheskij redaktor.

[Choice of steel for mining machinery parts and their heat treatment]
Vybor stali dlja detalей gornykh mashin i ikh termicheskaja obrabotka.
Moskva, Ugletekhnidat, 1954. 283 p. (MIRA 8:1)
(Steel--Heat treatment) (Mining machinery)

S/129/60/000/012/011/013
E193/E283

AUTHOR: Chervyakov, F. Ya., Engineer

TITLE: Modernised Heat-Treatment Technology at the "Krasnyy proletariy" Plant

PERIODICAL: Metallovedeniye i termicheskaya obrabotka metallov, 1960, No. 12, pp. 49-52

TEXT: In connection with plans for serial production of the machine 1K62 need has arisen to reorganize the existing heat-treatment shop at the "Krasnyy proletariy" Plant, which produces a wide range of machine tools. The present article describes the changes already introduced and those planned for the immediate future. The main characteristic of the new organization is decentralization of the complex of the heat-treatment operations. Components for internal needs will be heat-treated in a special shop which is nearing completion. Equipment for heat-treatment of large components of the 1K62 model will constitute an integrated part of the general production line. Medium and small size components and machine parts will be heat-treated in a new heat-treatment shop, equipped with modern, high-productivity equipment. Automation and ✓

Card 1/2

S/129/60/000/012/011/013
E193/E283

Modernised Heat-Treatment Technology at the "Krasnyy proletariy"
Plant

mechanization is being used whenever possible. As a result of these changes, the quality of heat treatment has improved, production costs have been reduced (2.9 man-hours being now required to heat-treat all the components of one 1K62 machine, as compared with 5.27 man-hours needed in the past), and the productivity of the article shop has increased from 75 to 150 t/operative/year. The article is illustrated by a table, listing all the heat-treatment processes, the equipment used, weight of the components heat-treated, the capacity of the equipment, and labour requirements.

ASSOCIATION: Institut "Giprostanok" ("Giprostanok" Institute)

Card 2/2

CHERVYAKOV, I. I.

Kirpichnain kladka operatsionnoraschlenennym metodom /
method of individual operations/. Moskva, Transzheldorizdat, 1952 48 p.

SO: Monthly List of Russian Accessions Vol. 6 No. 7 October 1953

CHERVYAKOV, I. V.

V
CHERVYAKOV, I.V., Cand Med Sci--(disc) "Dynamics of ~~disease~~ capillaroscopy,
^X ^(data) varicose
py, skin thermometry, and chronoxymetry in ~~varicose~~ dilatation of the veins
of the lower extremities." Len, 1958. 17 pp (Min of Health RSFSR.
Len Sanitary Hygiene Med Inst), 200 copies (IL,44-53,126)

- 85 -

CHERVIAKOV, I.V.

Dynamics of capillaroscopic data in varicose veins of the lower extremities. Trudy LSGMI 39:246-254 '58. (MIRA 12:8)

1. Kafedra obshchey khirurgii Leningradskogo sanitarno-gigiyenicheskogo meditsinskogo instituta (zav.kafedroy - prof.I.M.Tal'man).
(VARICOSE VEINS, physiol.
capillaroscopy (Rus))

EXCERPTA MEDICA Sec 17 Vol 5/7 Public Health July 59

2040. VARICES IN COUNTRY WORKERS ASSESSED BY A MASS EXAMINATION
(Russian text) - Chervyakov I. V. - VESTN. KHIR. 1958, 81/8 (69-71)
Tables 1

Of 1,262 persons examined (362 men and 900 women), 222 individuals showed a varicose dilatation of a lower extremity vein (17.6%). Women showed a higher incidence (21.7%) than men (7.1%); this was attributed to gestation and labour. Sixty-three per cent of the patients already had this ailment at the age of 30-40. Twenty per cent complained of pain, cramp and inability to stand or walk for a long time. Ulcerated varices were noted in 12.6%. Multiple extensive ulcers were found only in one patient.

(XVII, 9)

A aspirant (Leningrad, Degtyaryevskiy pri. I.C. kvo. 14)

do Leningradskoy obshchey zdravoteli, Leningradskogo sanitarno-gigienicheskogo instituta.

CHERVYAKOV, I.V., kand. med. nauk (Leningrad, Degtyarnyy pereulok, d.6, kv.14)

Determination of the patency of deep veins in the lower extremities. Vest. Khir. 91 no.12:89-90 D '63.

1. Iz 2-y kafedry obshchey khirurgii (zav.- prof. A.Ya. Ivanov)
Leningradskogo sanitarno-gigiyenicheskogo meditsinskogo instituta.
(MIRA 17:9)

ARTEM'YEV, Yevgeniy Ivanovich; CHERVYAKOV, Igor' Vasil'yevich;
SERGEYEV, Yu.D., red.

[Organization of the patent system in the United States]
Organizatsiya patentnogo dela v SShA. Moskva, TSentr.
nauchno-issl. inst patentnoi informatsii i tekhniko-ekon.
issledovani, 1963. 26 p.
(MIRA 17:9)

CHERVYAKOV, I.V., kand. med. nauk

Changes in the subcutaneous veins of the lower extremities
in varix. Vest. khir. 93 no.11:93-95 N '64.

(MIRA 18:6)

1. Iz 2-y kliniki obshchey khirurgii (zav. - prof. A.Ya. Ivanov)
Leningradskogo sanitarno-gigiyenicheskogo meditsinskogo instituta.

1. CHERVYAKOV, L.
2. USSR (600)
4. Hot Air Heating
7. Hot-air Furnace for swine houses. Sel'.stroi. 7 no. 5 1952

9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified.

GARMASHEV, D.L., kand. tekhn. nauk; CHERVYAKOV, M.M., inzh.

Use of fitted bolts for fastening ship machinery on their foundation
beds. Sudostroenie 25 no.10:39-42 O '59. (MIRA 13:2)
(Marine engineering--Equipment and supplies)

Chervyakov, M. P.

54. New Method Used by Sanitary Epidemiology Detachments for Diagnosis of Dysentery

"Experimental Laboratory Work of the Bacteriological Division of a Sanitary Epidemiological Detachment (Sanepidotryad)," by Lt Col Med Serv M. P. Chervyakov, Voyenno-Meditsinskiy Zhurnal, No 4, Apr 57, pp 67-70

This work traces the development of bacteriological methods of dysentery detection in military establishments between 1948 and 1955 and the training of personnel in these methods.

In 1955, a method developed by D. G. Manolov (ZhMEI, No 3, 55) was introduced which enabled personnel to produce diagnoses within 48 hours. In the presence of nonagglutinating cultures, final results are obtained from a study of combinations of characteristics, such as relation to lactose and manitol; motility; the positive agglutination reactions with different dysentery sera; and the effects of heating cultures. This new method does not lower the quality of the investigative work, but it reduces the amount of work considerably.

Careful planning of the bacteriological work played a large part in the effectiveness of dysentery prophylaxis by the SEO (Sanitary Epidemiological Detachment).

"A new nutrient medium containing 30 percent bile bouillon relieves personnel of the necessity of transferring material from collecting to accumulating media which, after 10 hours in the thermostat, produced a good growth. The material taken from the patient can now be transferred immediately to the accumulating medium.

Two tables show results obtained with the new method between 1948 and 1955. (U)

Sum 143.9